Natures & Cares Scientific Solution

Environment Consultant & Services.

ADD: 506/17 A, Plot no. 15 A, R. M. Enclave, 3rd Floor, Near State Bank Of India, Sadar Bazar Satara-415002.

Tele Phone No.: 02162-231299

Email: naturecare.office@gmail.com

TEST REPORT

Company Name & Address:	Mahila mahavidyalay ,Karad.		
	Mangalwar Peth, Karad, Dist. Satara, Maharashtra.		

Inward No: NCSS/2022/12

Your Ref No. : Test Request

Date of Sampling -15.11.2022

Sampling Method: Not Applicable

Collected By : Customer

Sampling Location : Drinking Water

Sample Name : Water

Date of Report : 20.11.2022

Sr. No	Parameters	Result	Unit	Permissible Limits	Test Method
1	Total Dissolved Solids	48.6	mg/l	<500	APHA 2540 C
2	Total Suspended Solids	5.3	mg/l	NA	APHA 2540 D
3	Total Hardness (as CaCO3)	4.8	mg/l	<200	APHA 2340 C
4	Chloride (as Cl-)	1.9	mg/l	<250	APHA 4500 Cl B
5	Phosphate as PO4	0.0	mg/l	NA	APHA 4500- P D
6	Nitrate Nitrogen (as N03-N)	0.0	mg/l	NA	АРНА 4500- N03-В
7	Ecoli	Absent	/100ml	Absent	IS:1622-2014

Note:


1. Test Report is based on above parameters.

2. NCSS will discard the sample after one month of the date of Test Report.

3. Test Results pertain only to the sample tested.

4. The content of Test Report shall not be reproduced / used for advertising or legal use, in part or full, without written permission.

For Nature & Care





Authorize Signatory

END OF REPORT